

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	955	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:01
S2	1	S1 and ((column adj key) near4 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:44
S3	763	S1 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:45
S4	2	S3 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:46
S5	1	S3 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:48
S6	253	S3 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:48
S7	96	S6 and (key with manag\$8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:48
S8	0	S7 and ((Column and row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:48
S9	0	S7 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:49
S10	96	S7 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:49
S11	4	S10 and (column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:55
S12	167	"3962539"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:56
S13	155	S12 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:56
S14	6	S13 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:57
S15	103	S13 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:57

S16	6	S15 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:57
S17	38	"4074066"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 12:57
S18	34	S17 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 14:16
S19	6	"6446092"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 14:20
S20	63	"4605820"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 14:25
S21	58	S20 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 14:21
S22	13	S21 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 14:25
S23	15	S20 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 14:25
S24	1	"4605820".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:22
S25	224	column with encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:22
S26	76	S25 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:23
S27	60	S26 and management	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:24
S28	3	S27 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:26
S29	81002	("707"/((1-10).ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:27
S30	3755	707/1.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:27
S31	28789	S29 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:27

S32	3083	S31 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:27
S33	13	S32 and ((Column row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:36
S34	38	S30 and ((Column row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:36
S35	0	S34 and encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:36
S36	2	S34 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:38
S37	161	encrypt\$3 near4 column	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:38
S38	60	S37 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:38
S39	1	S38 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:39
S40	5	"1089194"	DERWENT	OR	ON	2005/02/22 15:41
S41	2	(Column adj key) with encryption	USPAT	OR	ON	2005/02/22 15:44
S42	9	"596342"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:45
S43	11	"5963642"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:48
S44	14	"5915025"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 15:49
S45	0	"5915025" and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:10
S46	11590	database with (storage and management)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:10
S47	1767	S46 and encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:11
S48	1	S47 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:25

S49	286	S1 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:26
S50	253	S49 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:33
S51	1	S50 and ((column row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:27
S52	6	S50 and (generat\$3 with vector\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:27
S53	0	S50 and (data with (column adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:34
S54	2	S50 and (data with column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:34
S55	0	(encrypting with column with key). ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:34
S56	0	(encrypt\$3 with column with key). ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:35
S57	8	(encrypt\$3 with column with key). ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:39
S58	145	(encrypt\$3 with column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:40
S59	55	S58 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 16:40
S60	14	S59 and (row with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 18:04
S61	5495	key near4 matrix	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 18:04
S62	84	key near4 matrix same encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 18:05
S63	8	S62 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 18:12
S64	3	"6125183"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/22 18:13

S65	1132	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S66	1	S65 and ((column adj key) near4 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S67	900	S65 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S68	2	S67 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S69	1	S67 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S70	297	S67 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S71	114	S70 and (key with manag\$8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S72	0	S71 and ((Column and row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S73	0	S71 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S74	114	S71 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S75	5	S74 and (column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S76	213	"3962539"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S77	201	S76 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S78	23	S77 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S79	145	S77 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S80	23	S79 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36

S81	38	"4074066"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S82	34	S81 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S83	9	"6446092"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S84	66	"4605820"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S85	61	S84 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S86	13	S85 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S87	15	S84 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S88	1	"4605820".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S89	266	column with encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S90	92	S89 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S91	76	S90 and management	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S92	3	S91 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S93	73671	("707"/((1-10).ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S94	4284	707/1.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S95	20939	S93 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S96	2367	S95 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36

S97	13	S96 and ((Column row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S98	45	S94 and ((Column row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S99	0	S98 and encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 0	2	S98 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 1	180	encrypt\$3 near4 column	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 2	65	S101 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 3	1	S102 and (row adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 4	6	"1089194"	DERWENT	OR	ON	2005/09/13 12:36
S10 5	2	(Column adj key) with encryption	USPAT	OR	ON	2005/09/13 12:36
S10 6	9	"596342"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 7	13	"5963642"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 8	16	"5915025"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S10 9	0	"5915025" and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 0	13368	database with (storage and management)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 1	2062	S110 and encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 2	1	S111 and (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36

S11 3	349	S65 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 4	297	S113 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 5	1	S114 and ((column row) adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 6	6	S114 and (generat\$3 with vector\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 7	0	S114 and (data with (column adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 8	3	S114 and (data with column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S11 9	0	(encrypting with column with key). ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 0	0	(encrypt\$3 with column with key). ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 1	9	(encrypt\$3 with column with key). ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 2	163	(encrypt\$3 with column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 3	57	S122 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 4	15	S123 and (row with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 5	5732	key near4 matrix	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 6	91	key near4 matrix same encryption	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 7	8	S126 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36
S12 8	8	"6125183"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:36

S129	1132	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:39
S130	2	S129 and (encrypt\$3 with (column adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:40
S131	22	S129 and (encrypt\$3 with (column with key\$2))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:55
S132	11	S131 and (search target)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:41
S133	11	S131 and (search\$3 target\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/13 12:41
S134	1242	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:02
S135	541	S134 and (encrypt\$3 adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:03
S136	182	S135 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:03
S137	6	S136 and (generat\$3 with vector)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:42
S138	71	(multidimension\$3 and (generat\$3 with vector)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:19
S139	4	S138 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:24
S140	20	(search\$3 with encrypted with database).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:27
S141	1	S140 and vector	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:25
S142	11	(search\$3 with (encrypted near3 database)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:28
S143	1	(searching adj encrypted adj database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:29
S144	1	(search\$3 adj encrypted adj database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:29

S14 5	204	(encrypted adj database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:29
S14 6	0	S145 with (generat\$3 near3 vector)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:38
S14 7	0	S145 with (generat\$3 with vector). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:30
S14 8	0	S145 with (generat\$3 with vector)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:30
S14 9	959	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:30
S15 0	0	S149 and (generat\$3 with vector\$2 with multidimensional)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:31
S15 1	47	S149 and (generat\$3 with vector\$2)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:31
S15 2	1	S151 and multidimension\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:35
S15 3	0	S145 with (encrypt\$3 with column with key).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:33
S15 4	0	S145 with (encrypt\$3 with column with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:34
S15 5	1	S145 with (encrypt\$3 with column)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:34
S15 6	1	"6788788"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:35
S15 7	1	S145 and (encrypting adj column)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:38
S15 8	0	"encrypting using column key"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:42
S15 9	0	encrypt\$3 adj us\$3 adj column adj ke\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:44
S16 0	3	encrypt\$3 near3 (column adj ke\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:44

S16 1	3	encrypt\$3 near3 (column adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/13 10:44
----------	---	-----------------------------------	---------------------------------	----	----	------------------